

AMENDMENTS TO THE CLAIMS

The listing of the claims will replace the previous version, and the listing of the claims:

LISTING OF THE CLAIMS

1. (currently amended) A guide system for guiding a window glass of a vehicle, comprising:

a guide rail having a back wall, a pair of side walls extending from the back wall, and an opening between the side walls, said guide rail being arranged such that the opening faces a length direction of the vehicle; and

a guide slidably disposed in the guide rail and comprising:

a shaft to be attached to the window glass,

a base slidably inserted in the guide rail to contact only one of the side walls and holding the shaft,

a slider attached to the base member and slidably inserted in the guide rail ~~for holding the shaft together with the base to~~ contact only the other of the side walls, and

an elastic member disposed between the base and the slider for pushing the slider ~~in one side~~ to the other of the side walls.

2. (original) A guide system for guiding a window glass according to claim 1, wherein said base is situated in the guide rail at an inner side of the vehicle, and said slider is situated in the guide rail at an outer side of the vehicle.

3. (currently amended) A guide system for guiding a window glass according to claim ~~1~~ 2, wherein said elastic member pushes the slider toward the outer side of the vehicle.

4. (original) A guide system for guiding a window glass according to claim 1, wherein at least one of said base and said slider

includes a projection projecting toward the back wall of the guide rail.

5. (original) A guide system for guiding a window glass according to claim 4, wherein said elastic member pushes the projection toward the back wall of the guide rail.

6. (currently amended) A guide system for guiding a window glass according to claim 1, wherein one of said base and said slider includes a depression and a stopper, and the other of said base and said slider includes a claw ~~for engaging~~ to be disposed in the depression to connect the base to the slider, said stopper restricting the slider when the claw ~~engages the depression and~~ abuts against the stopper.

7. (original) A guide system for guiding a window glass according to claim 1, wherein said opening of guide rail faces a front of the vehicle.

8. (currently amended) A guide system for guiding a window glass according to claim 1, wherein said shaft is ~~rotatable~~ pivotaly attached to the base to tilt only in a direction that the window glass moves.

9. (new) A guide system for guiding a window glass according to claim 1, wherein said base includes a shaft connection for receiving the shaft therein to substantially entirely support a force applied to a lateral side of the shaft.

10. (new) A guide system for guiding a window glass according to claim 9, wherein said slider includes a portion disposed at a back

side of the shaft connection of the base for holding an end side of the shaft.

11. (new) A guide system for guiding a window glass according to claim 10, wherein said base, elastic member, slider and side walls are all arranged side by side.